## Studies excluded following full-text check

Reference	Reason for Exclusion
Abbott L. (2017). The Effect of Institution-Wide Implementation of Smart Slide	Population
Sheet Technology on the Incidence of Musculoskeletal Injuries in Nursing	
Personnel. Effect of Institution-Wide Implementation of Smart Slide Sheet	
Technology on the Incidence of Musculoskeletal Injuries in Nursing Personnel, ,	
pp.1-1.	
Abbott S, Anto-Awuakye S and Bryar R ; Trivedi S G;. (2012). Returning to health	No extractable data
visiting practice: Completing the circle. <i>Community Practitioner</i> , 85(9), pp.25-	
29.	
Adaba G B and Kebebew Y. (2018). Improving a health information system for	Irrelevant topic
real-time data entries: An action research project using socio-technical systems	
theory. Informatics for Health & Social Care, 43(2), pp.159-171.	
Antony J, Lancastle J and McDermott O ; Bhat S ; Parida R ; Cudney E A;. (2021).	Study design
An evaluation of Lean and Six Sigma methodologies in the national health	
service. International Journal of Quality and Reliability Management, , pp	
Atkinson C and Hall L . (2011). Flexible working and happiness in the	Intervention
NHS. Employee Relations, 33(2), pp.88-105.	
Bamford C. (2011). Mentoring in the twenty-first century. <i>Leadership in Health</i>	Study design
Services, 24(2), pp.150-163.	
Barody G. (2016). Can coaching paramedics help them reflect on their	Study design
wellbeing and confidence and be empowered within their	
profession?. International Journal of Evidence Based Coaching & Mentoring,	
Special Issue No 10, pp.147-158.	
Baxter R, Taylor N and Kellar I ; Lawton R ;. (2015). Learning from positively	No extractable data
deviant wards to improve patient safety: An observational study protocol. BMJ	
Open, 5(12), pp	Cturche el e si ere
Baxter R, Taylor N and Kellar I ; Lawton R ;. (2019). A qualitative positive	Study design
deviance study to explore exceptionally safe care on medical wards for older	
people. <i>BMJ Quality and Safety</i> , 28(8), pp.618-626. Beard J and Wood D . (2010). Application of Lean principles can reduce	No extractable data
inpatient prescription dispensing times. <i>Pharmaceutical Journal</i> , 284(7597),	NO EXTRACTABLE GATA
pp.369-371.	
Bejarano R C and Flores Y G; González G C; Gómez A L C; Salgado J G;. (2011).	Language
The mentorship program in the competency development of nursing	Language
professionals: the perspective from the United Kingdom. <i>Index de Enfermería</i> ,	
20(1-2), pp.6p-6p.	
Bilotta I, Dawson J F and King E B;. (2021). The Role of Fairness Perceptions in	Study design
Patient and Employee Health: A Multilevel, Multisource Investigation. <i>Journal</i>	
of Applied Psychology, Advance online publication, pp	
Blake H, Zhou D and Batt M E;. (2013). Five-year workplace wellness	Intervention
intervention in the NHS. <i>Perspectives in public health</i> , 133(5), pp.262-271.	
Bowers L, Nijman H and Simpson A ; Jones J ;. (2011). The relationship between	Study design
leadership, teamworking, structure, burnout and attitude to patients on acute	
psychiatric wards. Social Psychiatry and Psychiatric Epidemiology: The	
International Journal for Research in Social and Genetic Epidemiology and	
Mental Health Services, 46(2), pp.143-148.	
Brand S L and Fleming L E; Wyatt K M;. (2015). Tailoring healthy workplace	Study design
interventions to local healthcare settings: a complexity theory-informed	
workplace of well-being framework. <i>The Scientific World Journal</i> , 2015, pp	

Bruno A and Dell'Aversana G; Zunino A. (2017). Customer orientation and	Population
leadership in the health service sector: The role of workplace social	
support. Frontiers in Psychology, 8, pp	
Buttigieg S C and West M A; Dawson J F;. (2011). Well-structured teams and the	Study design
buffering of hospital employees from stress. Health Services Management	
Research, 24(4), pp.203-212.	
Carman E M, Evans L and Miles G ;. (2021). Learning About Healthcare	Intervention
Resilience from the Initial Response to the COVID-19 Pandemic – A	
Physiotherapy Case Study. In: Congress of the International Ergonomics	
Association. : , pp.532-539. Available at: function URL() { [native code] }.	
Cassedy P, Epling M and Williamson L ; Harvey G ;. (2011). Providing cross-	Irrelevant topic
discipline group supervision to new supervisors: Challenging some common	
apprehensions and myths. In: Cutcliffe J R, Hyrkas K and Fowler F ;,	
ed., Routledge handbook of clinical supervision: Fundamental international	
<i>themes</i> : , pp.208-217.	
Cook T and Brown C . (2017). Succession planning through therapy support	Article type
worker apprenticeshipsRCOT (Royal College of Occupational Therapist)	
Annual Conference 2017. British Journal of Occupational Therapy, 80, pp.23-24.	
Crichton L. (2017). Can occupational therapists work in the nursing numbers on	Article type
acute hospital wards?RCOT (Royal College of Occupational Therapist) Annual	
Conference 2017. In: British Journal of Occupational Therapy. : , pp.98-98.	
Available at: function URL() { [native code] }.	
Currie G, Lockett A and Finn R ; Martin G ; Waring J ;. (2012). Institutional work	Irrelevant topic
to maintain professional power: Recreating the model of medical	
professionalism. Organization Studies, 33(7), pp.937-962.	
Curtis R and O'Ferrall J More. (2018). 467 Organisational approach to	Article type
occupational health and wellbeing in a national rehabilitation	
hospital. Occupational and Environment Medicine, 75(Suppl 2), pp.A332-333.	
Davies N and Simelane B . (2017). The impact of seven-day working for patients	Study design
and staff in an acute physical older adults unit: A service evaluation. British	
Journal of Occupational Therapy, 80(11), pp.689-693.	
Davies N. (2017). Seven day working: evaluating the impact of extending	Article type
occupational therapy services for older adults in the acute settingRCOT (Royal	
College of Occupational Therapist) Annual Conference 2017. British Journal of	
Occupational Therapy, 80, pp.47-48.	
Dean E. (2016). Shift in culture frees up time for nurses to spend with	No extractable data
patients. Nursing Management - UK, 23(5), pp.8-9.	
Dewar B and Cook F. (2014). Developing compassion through a relationship	No extractable data
centred appreciative leadership programme. Nurse Education Today, 34(9),	
pp.1258-1264.	
Donaghy G, McKeever K and Flanagan C ; O'Kane D ; McQuillan B ; Cash J ; Jack	No extractable data
C ; Lundy C ;. (2018). Helping doctors in training to STEP-UP: A leadership and	
quality improvement programme in the belfast health and social care	
trust. Ulster Medical Journal, 87(2), pp.112-116.	
Ebrahim S, Robinson S and Crooks S ; Harenwall S ; Forsyth A ;. (2016).	Intervention
Evaluation of awareness level knowledge and understanding framework	
personality disorder training with mental health staff: impact on attitudes and	
clinical practice. Journal of Mental Health Training and Education & Practice,	
11(3), pp.133-143.	
Elston Julian, Gradinger Felix and Asthana Sheena ; Fox Matthew ; Dawson	Article type
Louise ; Butler Dawn ; Byng Richard ;. (2019). Impact of "enhanced"	
intermediate care located in a health & wellbeing hub at the integrated care	
organisation (ico) in torbay and south devon, uk. International Journal of	
Integrated Care, 19(4), pp	

Esain A E, Williams S J; Gakhal S and Caley L ; Cooke M W;. (2012). Healthcare	Irrelevant topic
quality improvement - policy implications and practicalities. International	
Journal of Health Care Quality Assurance, 25(7), pp.565-581.	
Fasbender U, Van der Heijden B I J M and Grimshaw S ;. (2019). Job satisfaction,	Study design
job stress and nurses' turnover intentions: The moderating roles of on-the-job	
and off-the-job embeddedness. Journal of Advanced Nursing, 75(2), pp.327-	
337.	
Felstead I S and Springett K. (2016). An exploration of role model influence on	Irrelevant topic
adult nursing students' professional development: A phenomenological	
research study. Nurse Education Today, 37, pp.66-70.	
Fish R M and Gawne S J; Machin L. (2021). Balancing medical education with	No extractable data
service in the workplace: a qualitative case study. <i>Journal of Workplace</i>	NO EXTRACTABLE GATA
Learning, 34(2), pp.176-187.	
	Study design
FitzRoy S. (2017). Mental Health Professionals' Experience of Organisational	Study design
Change in the NHS	
Frawley T and Meehan A; De Brún A. (2018). Impact of organisational change	Population
for leaders in mental health. Journal of health organization and management, ,	
pp	
Goyal S and Law E . (2019). An introduction to Kaizen in health care. <i>British</i>	No extractable data
Journal of Hospital Medicine, 80(3), pp.168-169.	
Grant S, Ring A and Gabbay M ; Guthrie B ; McLean G ; Mair F S; Watt G ;	Irrelevant topic
Heaney D ; O'Donnell C ;. (2015). Soft governance, restratification and the 2004	
general medical services contract: The case of UK primary care organisations	
and general practice teams. Sociology of Health & Illness, 37(1), pp.30-51.	
Gray D. (2016). Developing resilience and wellbeing for healthcare staff during	Intervention
organisational transition: The salutogenic approach. <i>International Journal of</i>	
<i>Evidence Based Coaching and Mentoring</i> , 14(2), pp.31-47.	
Haines S, Evans K and Timmons S ; Cutler E ;. (2021). A service improvement	Intervention
project of a legacy nurse programme to improve the retention of late career	intervention
nurses. Journal of Research in Nursing, 26(7), pp.648-681.	
Hanley B, Scott H and Priest H ;. (2017). The impact of organisational change on	Study design
professionals working within a Community Mental Health Team (CMHT): a	Study design
psychodynamic perspective. <i>Psychoanalytic Psychotherapy</i> , 31(2), pp.176-194.	
Hanney N and Karagic H . (2019). Responding to the NHS and social care	Irrelevant topic
workforce crisis: The enhancement of opportunities through collaborative	
partnerships. Higher Education and Skills and Work-based Learning, 9(2),	
pp.175-188.	
Hard E, Rock B and Stern J ;. (2015). Paradigms, politics and pragmatics:	Irrelevant topic
psychotherapy in primary care in City and Hackney – a new model for the NHS:	
Part 2: operational model, practice and outcomes. Psychoanalytic	
<i>Psychotherapy</i> , 29(2), pp.139-159.	
Hatton K A. (2019). Developing coaching skills to support OD skills for leaders. : .	Intervention
Heaslip V, Scammell J and Mills A ; Spriggs A ; Addis A ; Bond M ; Latchford C ;	Study design
Warren A ; Borwell J ; Tee S ;. (2018). Service user engagement in healthcare	
education as a mechanism for value based recruitment: An evaluation	
study. Nurse Education Today, 60, pp.107-113.	
Herron J B. T, French R and Gilliam A D;. (2018). Extended operating times are	No extractable data
more efficient, save money and maintain a high staff and patient	
satisfaction. Journal of Perioperative Practice, 28(9), pp.231-237.	
	Study dosign
Hewison A, Gale N and Yeats R ; Shapiro J ;. (2013). An evaluation of staff	Study design
engagement programmes in four National Health Service Acute Trusts. <i>Journal</i>	
of Health and Organisation and Management, 27(1), pp.85-105.	
Hignett S, Fray M and Benger J ; Jones A ; Coates D ; Rumsey J ;. (2012). CURE	Irrelevant topic
(Community Urgent Response Environment): portable work stations. Journal of	
Paramedic Practice, 4(6), pp.352-358.	
ναταπιεαίς νταςτίζε, 4(6), μμ.552-556.	

Howe C and Bell D . (2014). Improving engagement in a quality collaborative. <i>British Journal of Health Care Management</i> , 20(11), pp.528-535.	Irrelevant topic
Jackson C, Manley K and Vibhuti M ;. (2021). Change starts with me: an impact	Intervention
evaluation of a multiprofessional leadership programme to support primary	
care networks in the South East of England. Leadership in Health Services, ,	
pp.1751-1879.	
Jasper M A, Grundy L and Curry E ; Jones L ;. (2010). Challenges in designing an	Irrelevant topic
All-Wales professional development programme to empower ward sisters and	
charge nurses. Journal of Nursing Management (John Wiley & Sons and Inc.),	
18(6), pp.645-653.	
Jellicoe-Jones L, Love M and Butterworth R ; Riding C ;. (2011). Case study 4:	Study design
From ticking boxes to effective risk management. In: Whittington R and Logan C	
, ed., Self-harm and violence: Towards best practice in managing risk in mental	
health services Chichester: Wiley-Blackwell, pp.267-278.	
Jones M, Robson D and Whitfield S ; Gray R ;. (2010). Does	Irrelevant topic
psychopharmacology training enhance the knowledge of mental health nurses	
who prescribe?. Journal of Psychiatric and Mental Health Nursing, 17(9),	
pp.804-812.	
Kamau C. (2014). Outcomes of care programme approach, dual diagnosis, carer	Study design
support and psychological therapy inductions. The Psychiatric Bulletin, 38(4),	
рр.172-174.	
Kelliher C and Parry E . (2015). Change in healthcare: The impact on NHS	Study design
managers. Journal of Organizational Change Management, 28(4), pp.591-602.	
Kemp P, Gilding M and Seewooruttun K ; Walsh H ;. (2016). A work-based	Study design
learning approach for clinical support workers on mental health inpatient	
wards. Nursing standard (Royal College of Nursing (Great Britain) : 1987), 31(3),	
pp.48-55.	
Keville S, Conlan L-M and Adlington B ; Brindley R ; Abraham-Smith K ; Shaverin	Intervention
L ; Simpson L ; Nel P W;. (2017). Can voicing conflict within experiential learning	
groups facilitate connection? building and developing effective multi-	
disciplinary team-working skills. <i>Reflective Practice</i> , 18(1), pp.55-66.	
Khandaker G M, Gandamaneni P K; Dibben C R. M; Cherukuru S and Cairns P ;	Study design
Ray M K;. (2013). Evaluating care pathways for community psychiatry in	
England: A qualitative study. Journal of Evaluation in Clinical Practice, 19(2),	
pp.298-303.	
King C. (2015). Health visitors' accounts of the impacts of 'Hall 4' on their	Study design
practice and profession: a qualitative study. <i>Community Practitioner</i> , 88(2),	
pp.24-27.	
Kingswood M. (2014). Being organisationally changed: exploring the NHS	Irrelevant topic
professional staff the impact of organisational change University of Essex	
(United Kingdom).	
Kokkinen L, Virtanen M and Pentti J ; Vahtera J ; Kivimäki M ;. (2013). Does	Population
transfer of work from a public sector organisation to a commercial enterprise	
without staff reductions increase risk of long-term sickness absence among the	
staff? A cohort study of laboratory and radiology employees. <i>Occupational and</i>	
Environmental Medicine, 70(8), pp.585-587.	Study docim
Lindsay C, Commander J and Findlay P ; Bennie M ; Corcoran E D; Van Der Meer	Study design
R ;. (2014). 'Lean', new technologies and employment in public health services:	
Employees' experiences in the National Health Service. <i>The International</i>	
Journal of Human Resource Management, 25(21), pp.2941-2956. McArthur G S and Burns I. (2008). An evaluation, at the 1-year stage, of a 3-year	No extractable data
project to introduce practice education facilitators to NHS Tayside and	IND EXHALIABLE Udld
Fife. Nurse Education in Practice, 8(3), pp.149-155.	
McCarthy I, Taylor C and Leamy M ; Reynolds E ; Maben J ;. (2021). 'We needed	Study design
to talk about it': The experience of sharing the emotional impact of health care	Stady design
	l

work as a panellist in Schwartz Center Rounds <sup>®</sup> in the UK. <i>Journal of Health</i>	
Services Research and Policy, 26(1), pp.20-27. McKellar D, Stanley H and Manley K ; Moore S ; Lloyd T ; Hardwick C ; Ronder C	No extractable data
;. (2021). From Fractured to Flourishing Developing Clinical Leadership for	NO extractable data
Frontline Culture Change. In: Manley K, Wilson V and Øye C ;, ed., International	
Practice Development in Health and Social Care . : , pp	
Morrow E, Robert G and Maben J ;. (2014). Exploring the nature and impact of	Study design
leadership on the local implementation of The Productive Ward Releasing Time	Study design
to Care <sup>™</sup> . Journal of Health and Organisation and Management, 28(2), pp.154-	
176.	
Odedra K and Hitchcock J. (2012). Implementation of nursing grand rounds at a	Irrelevant topic
large acute hospital trust. British Journal of Nursing, 21(3), pp.182-185.	
Ogbonnaya C and Valizade D . (2018). High performance work practices,	Study design
employee outcomes and organizational performance: A 2-1-2 multilevel	, ,
mediation analysis. The International Journal of Human Resource Management,	
29(2), pp.239-259.	
Ogbonnaya C, Daniels K and Connolly S ; van Veldhoven M ;. (2017). Integrated	Study design
and isolated impact of high-performance work practices on employee health	
and well-being: A comparative study. Journal of Occupational Health	
<i>Psychology</i> , 22(1), pp.98-114.	
Ogbonnaya C, Tillman C J and Gonzalez K ;. (2018). Perceived organizational	Study design
support in health care: The importance of teamwork and training for employee	
well-being and patient satisfaction. Group & Organization Management, 43(3),	
pp.475-503.	
Osler D. ( 201). The Long term Impact of a 3 Session ACT Intervention on Staff	Intervention
wellbeing Leeds University.	
Parkinson S, Smith J and Sidhu M ;. (2021). Early development of primary care	No extractable data
networks in the NHS in England: A qualitative mixed-methods evaluation. <i>BMJ</i>	
<i>Open</i> , 11(12), pp	
Petrakaki D and Kornelakis A . (2016). 'We can only request what's in our	No extractable data
protocol': technology and work autonomy in healthcare. <i>New Technology and</i>	
Work and Employment, 31(3), pp.223-237. Phillips N and Byrne G . (2013). Enhancing frontline clinical leadership in an	Study docign
acute hospital trust. <i>Journal of Clinical Nursing</i> , 22(17-18), pp.2625-2635.	Study design
Pope C and Turnbull J . (2017). Using the concept of hubots to understand the	No extractable data
work entailed in using digital technologies in healthcare. <i>Journal of Health and</i>	NO extractable data
Organisation and Management, 31(5), pp.556-566.	
Pope C, Halford S and Turnbull J ; Prichard J ; Calestani M ; May C ;. (2013).	Study design
Using computer decision support systems in NHS emergency and urgent care:	
ethnographic study using normalisation process theory. <i>BMC Health Services</i>	
Research, 13(1), pp.111-111.	
Pope C, Turnbull J and Jones J ; Prichard J ; Rowsell A ; Halford S ;. (2017). Has	No extractable data
the NHS 111 urgent care telephone service been a success? Case study and	
secondary data analysis in England. BMJ Open, 7(5), pp	
Quarrie S and Baker C . (2017). A rotation of all sorts. New Graduate	Article type
Occupational Therapist rotation across Health (Physical & Mental) and Social	
CareRCOT (Royal College of Occupational Therapist) Annual Conference	
2017. British Journal of Occupational Therapy, 80, pp.48-48.	
Rehill N, Begley A and Mantell K ; Roberts C M;. (2020). Clinical academic	Intervention
leadership in COVID-19: A rapid response to sharing emerging insights in	
intensive care. BMJ Leader, 4(4), pp.228-230.	
Rivas C, Abbott S and Taylor S J. C; Clarke A ; Roberts C M; Stone R ; Griffiths C ;.	Study design
(2010). Collaborative working within UK NHS secondary care and across sectors	
for COPD and the impact of peer review: Qualitative findings from the UK	
national COPD resources and outcomes project. International Journal of	
Integrated Care, 10(3), pp	

_	
Robert G, Philippou J and Leamy M ; Reynolds E ; Ross S ; Bennett L ; Taylor C ;	Study design
Shuldham C ; Maben J ;. (2017). Exploring the adoption of Schwartz Center	
Rounds as an organisational innovation to improve staff well-being in England,	
2009–2015. <i>BMJ open</i> , 7(1), pp.e014326.	
Ryrie I, Williams H and Wamsley R ; Dwyer J ;. (2000). Basic Grade Occupational	Study design
Therapists: a Descriptive Evaluation of a Community Rotation Scheme. British	
Journal of Occupational Therapy, 63(8), pp.399-404.	
Strauss C, Gu J and Montero-Marin J ; Whittington A ; Chapman C ; Kuyken W ;.	Intervention
(2021). Reducing stress and promoting well-being in healthcare workers using	
mindfulness-based cognitive therapy for life. International Journal of Clinical	
and Health Psychology, 21(2), pp	
Strauss C, Gu J and Pitman N ; Chapman C ; Kuyken W ; Whittington A ;. (2018).	Intervention
Evaluation of mindfulness-based cognitive therapy for life and a cognitive	
behavioural therapy stress-management workshop to improve healthcare staff	
stress: Study protocol for two randomised controlled trials. Trials, 19(1), pp	
Suter J, Kowalski T and Anaya-Montes M, Chalkley M, Jacobs R, Rodriguez-	Study design
Santana I. (2020). The impact of moving to a 12h shift pattern on employee	
wellbeing: A qualitative study in an acute mental health setting. International	
Journal of Nursing Studies, 112, pp.103699.	
Thew M and Cox D . (2017). A pre-post evaluation of an occupational therapist	Article type
led group lifestyle and resilience course for well employees in a public sector	
workplaceRCOT (Royal College of Occupational Therapist) Annual Conference	
2017. British Journal of Occupational Therapy, 80, pp.63-63.	
Thomas R, Williams M and Smit G ; Chater A ;. (2020). Replacing sugary snacks	Intervention
with fruit, nuts and seeds at nurses' stations within a uk oncology unit: A pilot	
intervention study. British Journal of Medical Practitioners, 13(2), pp.1.	
Turnbull J, Calestani M and Pope C ; Halford S ; Prichard J ;. (2011). 017 Case	Article type
study of a computer decision support system for emergency care: the impact	
on the ambulance control room. In: Emergency Medicine Journal. : , pp.e1-e1.	
Available at: function URL() { [native code] }.	
Turnbull J, Prichard J and Halford S ; Pope C ; Salisbury C ;. (2012).	No extractable data
Reconfiguring the emergency and urgent care workforce: Mixed methods study	
of skills and the everyday work of non-clinical call-handlers in the NHS. Journal	
of Health Services Research and Policy, 17(4), pp.233-240.	
Turnbull Joanne, Prichard Jane and Pope Catherine ; Brook Simon ; Rowsell	No extractable data
Alison ;. (2017). Risk work in NHS 111: the everyday work of managing risk in	
telephone assessment using a computer decision support system. Health and	
Risk & Society, 19(3/4), pp.189-208.	
Vezyridis P and Timmons S . (2014). National targets, process transformation	Irrelevant topic
and local consequences in an NHS emergency department (ED): A qualitative	
study. BMC Emergency Medicine, 14(1), pp	
Want J, Sloan C and Kilgannon H ;. (2019). Supporting the leadership	Article type
development of Integrated Team Leaders; applying the essential building	
blocks to support and improve team performance. International Journal of	
Integrated Care (IJIC), 19(S1), pp.1-2.	
Williamson G R, Callaghan L and Whittlesea E ; Mutton L ; Heath V ;. (2011).	Irrelevant topic
Longitudinal evaluation of the impact of placement development teams on	
student support in clinical practice. Open Nursing Journal, 5, pp.14-23.	
Wright N, Zakarin M and Blake H ;. (2016). Nurses' views on workplace	Intervention
wellbeing programmes. British Journal of Nursing, 25(21), pp.1208-1212.	
Zhang S, Woodburn A and Dorrington S ; Beck A ; Winter H ;. (2022).	Study design
Experiences of staff working in a mental health trust during the COVID-19	
pandemic and appraisal of staff support services. International Journal of	
study. BMC Emergency Medicine, 14(1), pp Want J, Sloan C and Kilgannon H ;. (2019). Supporting the leadership development of Integrated Team Leaders; applying the essential building blocks to support and improve team performance. International Journal of Integrated Care (IJIC), 19(S1), pp.1-2. Williamson G R, Callaghan L and Whittlesea E ; Mutton L ; Heath V ;. (2011). Longitudinal evaluation of the impact of placement development teams on student support in clinical practice. Open Nursing Journal, 5, pp.14-23. Wright N, Zakarin M and Blake H ;. (2016). Nurses' views on workplace wellbeing programmes. British Journal of Nursing, 25(21), pp.1208-1212.	Irrelevant topic